



Dynatex[®]

MATERIAL SAFETY DATA SHEET

DYNATEX 53107

Revised Date: June 2011

Page 1 of 5

MODIFIED by HOLDTITE AUSTRALIA

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: DYNATEX 53107
Other Names: 53107
Use: Hand Cleaner with Lanolin
Part Number: 53107 (426gr)
Supplier: Holdtite Australia Pty Ltd
Address: 21 Heath Street
Lonsdale, South Australia, 5160

Emergency Tel: +61 1300 552 680
Telephone: +61 8 8186 0844
Fax: +61 8 8186 0252

Emergency Contact Name:
Emergency Contact Address: See Above Address

Other Information: The information below is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This Company shall not be held liable for any damage resulting from handling or from contact with the above product.

SECTION 2. HAZARDOUS IDENTIFICATION

Eye Contact Primary irritation and redness.

Ingestion Swallowing may cause abdominal irritation, nausea, vomiting and diarrhea.

Note The above listed potential effects are based on actual data, results of studies performed upon similar compositions, component data and/or expert review of the product. Please refer to Section 11 for detailed toxicology information.



Dynatex[®]

MATERIAL SAFETY DATA SHEET

DYNATEX 53107

Revised Date: June 2011

Page 2 of 5

MODIFIED by HOLDTITE AUSTRALIA

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Ingredient CAS Number Weight % ACGIH TLV PEL STEL

Petroleum distillates 64742-15-0 Proprietary %

Amyl Acetate 628-63-7 Proprietary %

Isopropanol 67-63-0 Proprietary % 400 ppm 400 ppm 500 ppm

Nonylphenol ethoxylate 26027-38-3 Proprietary %

SECTION 4. FIRST AID MEASURES

Eye Contact Immediately flush with large amounts of water. If irritation occurs, seek medical attention.

Ingestion DO NOT INDUCE VOMITING. Seek immediate medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point 120F

FP Method PM COC

Extinguishing Media Carbon Dioxide, Dry Chemical, Foam

Flammability Limits 0.8% by volume in air

Lower Explosive Limit Not determined

Upper Explosive Limit Not determined

Special Fire Fighting Procedures Water spray ineffective on fire, may be used to cool container, will protect fire fighters. Handle as an oil fire. Use fog nozzles and self-contained breathers.

Unusual Fire or Explosion Hazards Keep containers tightly closed. Isolate from oxidizers, heat, and open flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of spill or release

Mop up with absorbent material and dispose of in approved containers in accordance with local, state and federal regulations concerning health, safety and pollution.



Dynatex[®]

MATERIAL SAFETY DATA SHEET

DYNATEX 53107

Revised Date: June 2011

Page 3 of 5

MODIFIED by HOLDTITE AUSTRALIA

SECTION 7. HANDLING AND STORAGE

Storage Do not store above 49C/120F. Keep from freezing. Do not cut, weld, or braze on or around open containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection Generally eye contact is unlikely with this type of material. If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.

Respiratory Protection No respiratory protection should be needed with good local ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Thick, creamy
Specific Gravity 0.871
Density lbs/Gal. 7
Color/Appearance Pink
Odor Banana odor
pH 7.8
Boiling/Cond. Point 168F
Melting/Freezing Point Not established
Solubility Complete in water
Evaporation Rate Not established
VOC % 332.95 g/L
Vapor Density 5.0 @ 20C
Vapor Pressure 15.8 mm Hg @ 20C
Note The above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Product is stable, but conditions of excessive heat should be avoided.

Hazardous Polymerization Will not occur under normal conditions.
Conditions To Avoid: Catalyst such as aluminum chloride. Product is not an oxygen donor.

Hazardous Decomposition Carbon monoxide, carbon dioxide and nitrogen oxide vapors from burning,

Materials to Avoid Isolate from strong oxidizers such as Permanganate.

Conditions to Avoid Excessive heat should be avoided.



SECTION 11. TOXICOLOGY INFORMATION

- Carcinogenicity** This product is not known to be a carcinogen.
- Component Toxicology Information** No known applicable information.
- Special Hazard Information on Components** No known applicable information.
- Note** d-Limonene is included on the Food and Drug Administration's Generally Recognized as Safe List.

SECTION 12. ECOLOGICAL INFORMATION

- Environmental Fate and Distribution** Complete information is not yet available.
- Environmental Effects** Complete information is not yet available.
- Fate and Effects in Waste Water Treatment Plants** Complete information is not yet available.

SECTION 13. DISPOSAL CONSIDERATIONS

- Waste Disposal Method** We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.
This product is not known to be regulated under RCRA regulations, but contains SARA regulated substances. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

SECTION 14. TRANSPORT INFORMATION

- DOT Road Shipment Information** Not subject to DOT.
- Air Shipment (IATA)** Not subject to IATA regulations.
- Ocean Shipment (IMDG)** Not subject to IMDG code.



Dynatex[®]

MATERIAL SAFETY DATA SHEET

DYNATEX 53107

Revised Date: June 2011

Page 5 of 5

MODIFIED by HOLDTITE AUSTRALIA

SECTION 15. REGULATORY INFORMATION

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA Title III Section 302 Extremely Hazardous Substances None

SARA Title III Section 304 CERCLA Hazardous Substances Amyl acetate (628-63-7)

SARA Title III Section 311/312 No components subject to 40 CFR 370

SARA Title III Section 313 Toxic Chemicals None present or none present in regulated quantities.

California Proposition 65 This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known

New Jersey Amyl acetate (628-63-7)

Pennsylvania Isopropanol (67-63-0)
Amyl acetate (628-63-7)

Isopropanol (67-63-0)

SECTION 16. OTHER INFORMATION

Abbreviations/Acronyms

ADG Code – Australian Code for the Transport of Dangerous Goods by Road and Rail

NOHSC – National Occupational Health and Safety

TWA – Time-Weight Average

CONTACT POINT

Technical Contact

Numbers: Head Office Tel: 1300 552 680

End of MSDS